




This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	-1 ADDED NOTE CENTER POINT OK. -3 & -5 CH'D TOLERANCE ON NON-CRITICAL PARTS. -5 CH'D B/O INFO WAS Ø2-3/4 X 1-3/4 IS Ø2-3/4 O.D. X 1/4 WALL X 1-3/4.	5/9/2014	DPD	GE





 RED BARN MACHINE	
TITLE T/R HUB BUSHINGS REMOVAL	
DWG NO. RBW109-3130-58-101	REV 1
MAT'L	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	APPROVED  HEAT TREAT FINISH SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL AW109
SCALE 1:2	DATE 4/20/2012
SHEET 1 OF 4	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	PUSHER	6061	Ø1-5/8 X 7-13/16	2
			-3	1	CLAMP	6061	Ø2-1/8 X 1-5/16	3
			-5	1	SLEEVE	6061	Ø2-3/4 O.D. X 1/4 WALL X 1-3/4	4
			-7	1	PISTOL CASE	PLASTIC, BLACK	RSR SPORTS #10137	N/S

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	-1 ADDED NOTE CENTER POINT OK.	5/9/2014	DPD	GE







(-1)
PUSHER

RED BARN MACHINE	
TITLE T/R HUB BUSHINGS REMOVAL	
DWG NO. RBW109-3130-58-101-1	REV 1
MAT'L 6061	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH CLEAR ANODIZE
.X ± .1	SPEC MIL-A-8625F, TYPE II, CLASS I
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109
SCALE 1:2	DATE 4/20/2012
SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
			APPROVED




 RED BARN MACHINE	
TITLE T/R HUB BUSHINGS REMOVAL	
DWG NO. RBW109-3130-58-101-3	REV 1
MAT'L 6061	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	APPROVED  HEAT TREAT CLEAR ANODIZE SPEC MIL-A-8625F, TYPE II, CLASS I USED ON MODEL AW109
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:1	DATE 4/20/2012
SHEET 3 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
			APPROVED



(-5)
SLEEVE

 RED BARN MACHINE	
TITLE T/R HUB BUSHINGS REMOVAL	
DWG NO. RBW109-3130-58-101-5	REV 1
MAT'L 6061	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH CLEAR ANODIZE
.X ± .1	SPEC MIL-A-8625F, TYPE II, CLASS I
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109
SCALE 1:1	DATE 4/20/2012
SHEET 4 OF 4	